




BUFFALO 11



BUFFALO RHOMB 111



BUFFALO SQUARE 211



BUFFALO FLOWER 311



BUFFALO 4



BUFFALO 27



BUFFALO 37
BUFFALO RHOMB 137
BUFFALO SQUARE 237
BUFFALO FLOWER 337



BUFFALO 11
BUFFALO RHOMB 111
BUFFALO SQUARE 211
BUFFALO FLOWER 311



BUFFALO 21



BUFFALO 44
BUFFALO RHOMB 144
BUFFALO SQUARE 244
BUFFALO FLOWER 344



BUFFALO 20
BUFFALO RHOMB 120
BUFFALO SQUARE 220
BUFFALO FLOWER 320



BUFFALO 30



BUFFALO 31
BUFFALO RHOMB 131
BUFFALO SQUARE 231
BUFFALO FLOWER 331



BUFFALO 10
BUFFALO RHOMB 110
BUFFALO SQUARE 210
BUFFALO FLOWER 310



BUFFALO 34
BUFFALO RHOMB 134
BUFFALO SQUARE 234
BUFFALO FLOWER 334

BUFFALO

Composition: 100% Polyester
Weight (with backing): 360 gsm
Width: 140cm

BUFFALO RHOMB

Composition: 100% Polyester
Weight 430gsm: / 560 gr running meter
Width: +-130 cm
Repeat size horizontal 12cm, vertical 20.5 cm

BUFFALO SQUARE

Composition: 100% Polyester
Weight (with backing+1 layers): 475 gsm / 640 gr
Width: +-135cm
Repeat size horizontal 4.5 cm, vertical 4.5 cm

BUFFALO FLOWER

Composition: 100% Polyester
Weight (with backing+1 layers): 475 gsm / 640 gr
Width: +-135cm
Repeat size horizontal 13 cm, vertical 11 cm

Abrasion resistance: (BS EN ISO 12947-2/BS EN 14465:
2003 Annex A) : >48,000 rubs
Martindale pilling - BS EN ISO 12945-2: 2000: 4
Colour fastness to rubbing (dry): BS EN ISO 105 x 12: 2016: 4-5
Colour fastness to rubbing (wet): BS EN ISO 105 x 12: 2016: 4-5
Colour fastness to light STD 5: BS EN ISO 105 B02: 2014: 4

