

A black and white photograph of a hand held palm-up, dripping water. The water is falling into a larger body of water, creating ripples. The background is a blurred expanse of water.

SUPER SKIN

Waxy

nachik 



SUPER SKIN

Waxy

Thickness 1.1mm

Composition: PU: 7.9%, PVC: 70.2%, 21.9% Polyester

Width 137cm (54")

Weight 670 g/m²

Care instructions:

Clean regularly with a damp cloth or sponge

(Use lukewarm water with a mild alkaline free soap –rinse with clean water)

Do not use: solvents / concentrated abrasive or solvent cleaning products / wax polish



TECHNICAL DETAILS

Tear Strength Tongue Method (ASTM D2261): Warp 7.2, Weft 11.4

Standard Test Method for Surface Burning Characteristics of Building Materials (ASTM E84-15b) adhered to GRC board: class B

Wyzenbeek Abrasion (ASTM D415713): >185,000 heavy duty upholstery

Flame Retardant - CAL 117-2013, Section 1: PASS

Color Fastness to Light (AATCC 16 OPTION 3): 4.5

Color Fastness to Wet /Dry Crocking (AATCC 8): Wet 5, Dry 5

Flame Retardant cigarette ignition resistance (NFPA 260 standard–ASTM E1353-08ae1): PASS class 1

Cold crack resistance (CFFA 6a-2010): no cracking

Rubber-or-plastics-coated fabrics-Accelerated-ageing tests(Tropical test ISO 1419): week 7: Nocracking, peeling, or delamination

Standard Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes (ASTM D1308-02 2013):

Staining Agent	Pre-clean – Wipe with Dry Cloth	Water Only Cleaning	Detergent Based Cleaner	Solvent Based Cleaner
Italian Dressing	4.5	5.0	-	
Ketchup	4.5	5.0	-	
Lipstick	4.5	5.0	-	-
Mustard	2.0	3.5	3.5	3.5
Suntan Oil	4.5	5.0	-	



101



102



103



104



105



106



107



108



109



110



111



112



113



114



115



116



117



118



119



120