


nachik 

Zamsh

The Art of Suede





Composition: 100% polyester

Width: 140 cm

Weight: 560 gsm

Abrasion resistance: (BS EN ISO 12947-2/BS EN 14465: 2003 Annex a): >35,000 rubs

Change in shade @ 3000 revs

Colour fastness to rubbing (dry): BS EN ISO 105 x 12: 2016: 4

Colour fastness to rubbing (wet): BS EN ISO 105 x 12: 2016: 3.5

Colour fastness to washing (EN ISO 105): 3-4

Seam slippage (EN ISO 13936-2): <1.0 mm

Tear strength (EN ISO 13937): 90 N

Colour fastness to light: BS EN ISO 105 B02: 2014: 5

Martindale pilling: BS EN ISO 12945-2: 2000: 4-5

OEKO-TEX

REACH COMPLIANT

WATER / OIL RESISTANCE

Washable in a washing machine 30 degrees





Zamsh 81



Zamsh 1



Zamsh 48



Zamsh 3



Zamsh 49



Zamsh 10



Zamsh 11



Zamsh 12



Zamsh 13



Zamsh 26



Zamsh 55



Zamsh 53



Zamsh 8



Zamsh 6



Zamsh 5



Zamsh 28



Zamsh 17



Zamsh 16




Zamsh 27




Zamsh 54



Zamsh 52




Zamsh 47



Zamsh 19



Zamsh 20



Zamsh 21



Zamsh 58



Zamsh 70



Zamsh 22



Zamsh 2



Zamsh 50




Zamsh 7




Zamsh 51



Zamsh 18



Zamsh 15



Zamsh 59