

Oasis



nachik 

## OASIS

Composition: 94% polyester, 6% NYLON

Width: 145 cm

Weight: 320 gsm

Abrasion resistance: (BS EN ISO 12947-2/BS EN 14465: 2003 Annex a): >33,000 rubs

Colour fastness to rubbing (dry): BS EN ISO 105 x 12: 2016: 4-5

Colour fastness to rubbing (wet): BS EN ISO 105 x 12: 2016: 4-5

Colour fastness to light: BS EN ISO 105 B02: 2014: 4-5

Martindale pilling - BS EN ISO 12945-2: 2000: 4

Color fastness to washing 105-C06:2010 A2S@40°C: 4

Seam slippage: BS EN ISO 13936-2:2004: warp seam 2.4 mm, weft seam 2.1 mm

Tearing strength: ISO 13937-1:2000:2004: Warp yarns torn >63N, Weft yarn torn 63N


Tensile Strength (strip) BS EN ISO 13934-1:2013: Warp 1600N, weft 1500N


OEKO-TEX

REACH


ANTI-BACTERIAL FINISH

Dry clean / wash in 30 degrees






26



42



2



7



3



28



4



18



21




16




29



6




35




32




41



33



15



14




13



37



36




24



20



27



22



11



25



23